


TOWN OF CARY RECLAIMED WATER MASTER PLAN UPDATE



JULY 2013

FINAL

**CDM
Smith**

Table of Contents

Executive Summary

E.1	Existing Reclaimed Water System.....	ES-1
E.2	Analysis of Existing Reclaimed Water Demands.....	ES-2
E.3	Future Reclaimed Water Demand Scenarios.....	ES-3
E.4	Hydraulic Modeling and Evaluation of Future System Infrastructure Needs.....	ES-5
E.4.1	Northwest Cary Service Area.....	ES-5
E.4.2	South Cary Service Area.....	ES-6
E.4.3	Phasing.....	ES-7
E.5	Capital Improvement Program (CIP).....	ES-8

Section 1 Project Background and Objective

1.1	Project Background.....	1-1
1.2	Objective.....	1-1
1.3	Report Format.....	1-2

Section 2 Existing Reclaimed Water Program

2.1	Town Policy Statement.....	2-1
2.2	North Cary Service Area.....	2-3
2.2.1	North Cary Water Reclamation Facility.....	2-3
2.2.2	Reclaimed Water Distribution System.....	2-4
2.3	South Cary Service Area.....	2-6
2.3.1	South Cary Water Reclamation Facility.....	2-6
2.3.2	Reclaimed Water Distribution System.....	2-7
2.4	West Cary Service Area.....	2-7
2.4.1	Triangle Wastewater Treatment Plant.....	2-7
2.4.2	Reclaimed Water Distribution System.....	2-9
2.5	Reclaimed Water System Operations.....	2-9
2.5.1	Blow-offs.....	2-9
2.5.2	Minimum System Pressure.....	2-11
2.5.3	Reclaimed Water Holiday.....	2-11
2.5.4	Cross-Connections.....	2-11

Section 3 Regulatory Review

3.1	National Trends.....	3-1
3.2	North Carolina Trends.....	3-2

Section 4 Existing Reclaimed Water Demands

4.1	Average Annual Demand.....	4-1
4.2	System-Wide Peaking Factors.....	4-2
4.2.1	Seasonal Peaking Factors.....	4-2
4.2.2	Maximum Daily Peaking Factor.....	4-3
4.2.3	Diurnal Variations and Hourly Peaking Factors.....	4-4
4.3	Customer-Specific Diurnal Variations.....	4-5
4.3.1	Meter Monitoring Program.....	4-5

4.3.2 North Cary Service Area 4-9
 4.3.3 South Cary Service Area..... 4-11
 4.3.4 West Cary Service Area 4-12

Section 5 Future Reclaimed Water Demands

5.1 Future Reclaimed Water Service Areas 5-1
 5.2 Demand Scenarios 5-1
 5.2.1 Scenario 1..... 5-4
 5.2.2 Scenario 2..... 5-4
 5.2.3 Scenario 3..... 5-7
 5.2.4 Scenario 4..... 5-7
 5.3 Maximum Day Customer Demand Projections..... 5-10
 5.4 Non-Revenue Water Demand Projections..... 5-10

Section 6 Reclaimed Water Supply Capacity

6.1 Methodology..... 6-1
 6.2 North Cary WRF Reclaimed Water Supply 6-2
 6.2.1 Scenario 3 Supply Considerations..... 6-4
 6.2.2 Scenario 4 Supply Considerations..... 6-5
 6.3 South Cary WRF Reclaimed Water Supply 6-5
 6.4 Western Wake WRF Reclaimed Water Supply 6-8
 6.5 Total Supply Capacity 6-10

Section 7 Hydraulic Model Development and Evaluation Criteria

7.1 General Evaluation Criteria 7-1
 7.1.1 System Pressures..... 7-1
 7.1.2 Velocity and Headloss..... 7-1
 7.1.3 Storage Volume Requirements 7-2
 7.1.4 Storage Evaluation Approach..... 7-3
 7.2 Model Development 7-4
 7.2.1 Physical Model 7-4
 7.2.2 Demand Allocation..... 7-4
 7.3 Model Calibration..... 7-5
 7.4 Existing System Evaluation..... 7-6

Section 8 Future Reclaimed Water Scenario Evaluation

8.1 Northwest Cary Service Area 8-1
 8.1.1 Scenario 1..... 8-1
 8.1.2 Scenario 2..... 8-2
 8.1.3 Scenario 3..... 8-2
 8.1.4 Scenario 4..... 8-5
 8.2 South Cary Service Area 8-8
 8.2.1 Scenario 1..... 8-8
 8.2.2 Scenario 2..... 8-8
 8.2.3 Scenario 3 and 4 8-8
 8.3 Preferred Scenario Phasing and Alternatives 8-10
 8.3.1 Phasing Approach..... 8-12
 8.3.2 Phase 1 (Implementation by 2020)..... 8-12

8.3.3 Phase 2 (Implementation between 2020 and 2030) 8-15
 8.3.4 Phase 3 (Implementation between 2030 and 2060) 8-16
 8.3.5 Storage Alternatives..... 8-19

Section 9 Recommended Capital Improvement Program

9.1 Cost Estimates 9-1
 9.1.1 Unit Pipeline Construction Cost 9-2
 9.1.2 Land Acquisition 9-3
 9.1.3 Contingencies, Engineering, Legal, and Administrative Fees 9-3
 9.2 Capital Improvement Program 9-3
 9.2.1 Phase 1A (2015) 9-4
 9.2.2 Phase 1B (2017) 9-4
 9.2.3 Phase 1C (2020)..... 9-9
 9.2.4 Phase 2 (2020-2030) 9-9
 9.2.5 Phase 2 (2030-2060) 9-11
 9.2.6 Summary 9-14
 9.3 Operational Considerations..... 9-14
 9.4 Reclaimed Water Program Policy Considerations..... 9-15
 9.4.1 Policy Statement 132 9-15
 9.4.2 Conversion Benefit to Encourage Connections 9-15
 9.4.3 Design Standards..... 9-17
 9.5 Summary 9-18

Section 10 References

Appendices

- Appendix A – Town of Cary Policy Statement 132
- Appendix B – Reclaimed Water Program Permits
- Appendix C – Reclaimed Water System Facility Data Sheets
- Appendix D – Reclaimed Water Meter Monitoring Data
- Appendix E – Long Range Water Resources Plan Demand Projection Assumptions
 Memorandum
- Appendix F – Pressure and Velocity Results for Recommended Improvements
- Appendix G – Town of Cary Case Study from USEPA *Guidelines for Water Reuse*, September
 2012

List of Tables

Table E-1	2060 Maximum Day Demand and Available Supply for Reclaimed Water Scenarios	ES-4
Table E-2	Scenario 4 Reclaimed Water Demand Projections by Phase (in mgd)	ES-7
Table E-3	Summary of CIP Project Costs by Type and Year (in millions of dollars)	ES-8
Table 2-1	Minimum Reclaimed Water Quality Standards	2-1
Table 2-2	North Cary WRF Effluent Water Quality Parameters, January 2009 Through August 2011	2-3
Table 2-3	South Cary WRF Effluent Water Quality Parameters, January 2009 Through August 2011	2-6
Table 3-1	Type 1 and Type 2 Reclaimed Water Standards	3-2
Table 4-1	Summary of 2010 Annual Average Pumped and Billed Reclaimed Water Use	4-2
Table 4-2	Summary of Seasonal and Maximum Daily Reclaimed Water Peaking Factors	4-4
Table 4-3	Individual Customer Meters Monitored During 2010/2011	4-6
Table 4-4	Comparison of Maximum Monitored Day to Average Day Demand for North Cary Reclaimed Water Customers	4-10
Table 4-5	Comparison of Maximum Monitored Day to Average Day Demand for South Cary Reclaimed Water Customers	4-12
Table 4-6	Comparison of Maximum Mentored Day to Average Day Demand for Future Reclaimed Water Customers	4-13
Table 5-1	Summary of Scenario 1 Annual Average Reclaimed Water Customer Demands	5-4
Table 5-2	Summary of Scenario 2 Annual Average Reclaimed Water Customer Demands	5-7
Table 5-3	Summary of Scenario 3 Annual Average Reclaimed Water Customer Demands	5-7
Table 5-4	Summary of Scenario 4.1 & 4.2 Annual Average Reclaimed Water Customer Demands	5-10
Table 5-5	Scenario 1 – Maximum Day Customer Demand Projections by Service Area	5-12
Table 5-6	Scenario 2 – Maximum Day Customer Demand Projections by Service Area	5-13
Table 5-7	Scenario 3 – Maximum Day Customer Demand Projections by Service Area	5-14
Table 5-8	Scenario 4.1 – Maximum Day Customer Demand Projections by Service Area	5-15
Table 5-9	Scenario 4.2 – Maximum Day Customer Demand Projections by Service Area	5-16

Table 6-1	North Cary WRF Reclaimed Water Supply Projections	6-2
Table 6-2	NCWRF Reclaimed Water Supply and Northwest Cary Service Area Demand	6-4
Table 6-3	South Cary WRF Reclaimed Water Supply Projections	6-6
Table 6-4	SCWRF Reclaimed Water Supply and South Cary Service Area Demands	6-6
Table 6-5	Western Wake WRF Reclaimed Water Supply Projections.....	6-8
Table 6-6	Summary of Total Reclaimed Water Supply and Scenario 2 (Town-Wide) Demands	6-10
Table 8-1	Minimum Storage Volume by Scenario (2060 Demands).....	8-2
Table 8-2	Scenario 4 Reclaimed Water Demand Projections by Phase (in mgd).....	8-13
Table 8-3	Minimum Storage Volume by Phase for Scenario 4	8-19
Table 8-4	Modeled Flow Control Valve Settings for Baseball Tank Operations	8-23
Table 8-5	Summary of Recommended Storage.....	8-26
Table 9-1	Level of Cost Categories.....	9-2
Table 9-2	Unit Construction Costs for Trench Installation of Reuse Pipeline	9-2
Table 9-3	Unit Construction Cost for Trenchless Road and Stream Crossings	9-3
Table 9-4	Town of Cary Reclaimed Water System Capital Improvements Program.....	9-5
Table 9-5	Summary of CIP Project Costs by Type and Year	9-14

List of Figures

Figure 2-1	Town Policy Statement 132 Reclaimed Water Service Areas (adopted 2010)	2-2
Figure 2-2	Existing North Cary Reclaimed Water Distribution System	2-5
Figure 2-3	Existing South Cary Reclaimed Water Distribution System	2-8
Figure 2-4	Existing West Cary Reclaimed Water Distribution System.....	2-10
Figure 4-1	Historical Pumped and Billed Reclaimed Water.....	4-2
Figure 4-2	Normalized Monthly Reclaimed Water Use (Based on 2007-2011 Data)	4-3
Figure 4-3	Unit Diurnal Reclaimed Water use Pattern for Peak Flow Days.....	4-5
Figure 4-4	2010/2011 Reclaimed Meter Monitoring Locations	4-7
Figure 4-5	Daily Reclaimed Water Flow – Summer 2010	4-8
Figure 4-6	Daily Reclaimed Water Flow – Summer 2011	4-8
Figure 4-7	North Cary Customer-Specific Unit Diurnal Reclaimed Water Use Patterns	4-10
Figure 4-8	South Cary Customer-Specific Unit Diurnal reclaimed Water Use Patterns	4-11
Figure 4-9	West Cary Customer-Specific Unit Diurnal Reclaimed Water Use Patterns	4-13
Figure 5-1	Optional Routes for Northwest Connector Reclaimed Water Pipeline	5-2
Figure 5-2	Selected Northwest Connector Route and Extended Service Area.....	5-3

Figure 5-3	Scenario 1 Reclaimed Water Demand Projections.....	5-5
Figure 5-4	Scenario 2 Reclaimed Water Demand Projections.....	5-6
Figure 5-5	Scenario 3 Reclaimed Water Demand Projections.....	5-7
Figure 5-6	Scenario 4 Reclaimed Water Demand Projections.....	5-8
Figure 5-7	Buildout (2060) Maximum Day Reclaimed Water Demand by Service Area	5-11
Figure 6-1	Reclaimed Water Supply and Demand for the North and West Cary Service Area	6-3
Figure 6-2	Reclaimed Water Supply and Demand for the South Cary Service Area	6-7
Figure 6-3	Location of Western Wake WRF	6-9
Figure 6-4	Reclaimed Water Supply and Demand for the Urban Service Area (Scenario 2).....	6-11
Figure 7-1	Storage Requirements for Supply and Demand Equalization; NCWRF Scenario 1 – 2060 Maximum Day Demand.....	7-3
Figure 7-2	Unit Diurnal Reclaimed Water Use Patterns	7-5
Figure 7-3	Field Test Locations and Data	7-7
Figure 7-4	Existing Reclaimed Water System; Peak Hour Pressure and Velocity	7-8
Figure 8-1	Northwest Service Area Scenario 1: 2060 (buildout).....	8-3
Figure 8-2	Northwest Service Area Scenario 3: 2060 (buildout).....	8-6
Figure 8-3	Northwest Service Area Scenario 4: 2060 (buildout).....	8-7
Figure 8-4	South Service Area Scenario 1: 2060 (buildout).....	8-9
Figure 8-5	South Service Area Scenario 3 and 4: 2060 (buildout)	8-11
Figure 8-6	Service Area Scenario 4: Phase 1 (2020) Improvements.....	8-14
Figure 8-7	Service Area Scenario 4: Phase 2 (2030) Improvements.....	8-17
Figure 8-8	Service Area Scenario 4: Phase 3 (2060) Improvements.....	8-18
Figure 8-9	Model-Simulated Tank Levels for 0.75 MG Baseball Tank	8-21
Figure 8-10	Model-Simulated Tank Levels for 0.25 MG Baseball Tank	8-21
Figure 8-11	Proposed 0.5 MG Baseball Tank.....	8-22
Figure 9-1	Recommended Capital Improvement Projects by Phase	9-7
Figure 9-2	Recommended Capital Improvement Projects by Diameter	9-8
Figure 9-3	Recommended Reclaimed Water Service Area	9-16
Figure 9-4	HDPE Pipe for Reclaimed Water	9-17
Figure 9-5	Butt-fused reclaimed water HDPE pipe.....	9-17